



Certified Performance

Sherwood puts its reputation on the line with every piece of equipment it designs and manufactures.



Recognized Excellence

Sherwood for its outstanding performance and amazing capabilities.



International Quality Standard

Sherwood is awarded the converted ISO9001 certification.



Singular Achievement

When Popular Science lent us an ear, they gave US their Best Of What's



Industry Recognition

Sherwood is awarded one of the "BEST" for the performance and value of its products by leading consumer publications. Video Magazine awarded Sherwood the prestigious "BEST" in category award for the overall performance and value of one of its A/V receivers.



Industry Recognition

Recent winners of the innovations Awards for design and engineering excellence.



CD 5090R

Single CD Player with Remote Control

digilink III

Key Features

- Single CD Player
- 1-Bit D/A Converter
- 8 Times Oversampling
- 3-Beam Laser Pick-up
- DTS Digital Output
- Optical Digital Output
- Programmable Memory (20)
- Music Calendar (14)
- Random Play (1 / All)
- Direct Track Access
- Intro Scan and Delete Play (Via Remote)
- CD Synchro Record

- Tape Edit / Length AdjustmentElapsed/Remaining Time Button
- Headphone Output Jack
- Headphone Volume Control (Via Remote)
- Multi-Function Fluorescent Display
- Display Off/Dimmer
- Remote Control
- Digi-Link III
- Gold-Plated RCA Jacks
- Dimension (WxHxD): 440 x 95 x 250mm
- Weight: 3.5Kg

CDC 5090R

Front Loading Carrousel Multi-Disc Player with Remote Control



Key Features

- Dual 1-Bit (Twin) D/A Converters
- 5-Disc Carrousel Type
- 8 Times Oversampling
- 3-Beam Laser Pick-up
- DTS Digital Out/Optical Digital Output
- Programmable Memory (32)
- Music Calendar (14)
- Play 1 Exchange 4
- Random Play (1/Program/All)
- Repeat Mode (1/Disc/All)
- A-B Repeat (Via Remote)
- Intro Scan (Via Remote)

- Delete Play (Via Remote)
- Disc Loading Status
- CD Synchro Record
- Tape Edit
- Length Adjustment
- Elapsed/Remaining Time Button
- Headphone Output Jack
- Headphone Volume Control (Via Remote)
- Multi-Function Fluorescent Display
- Display Off/Dimmer
- Remote Control/Digi-Link III
- Dimension (WxHxD): 440 x 112 x 388mm
- Weight: 5.7Kg





Auto Reverse Dual Cassette Deck with Dolby B

digilink III DOLBY B NR

Key Features

- Full Logic Tape Transport Mechanism
- Auto Reverse (R/P Only)
- Dolby B Noise Reduction Systems
- Normal and High Speed Dubbing
- Relay Play
- Reverse Mode and Tape Size Selector
- Automatic Tape Selector (Normal, Chrome Tape)
- Real Time Tape Counter
- Memory Stop Function
- Peak-Reading FL Record Level Meter (7 x 2Segments) for Precise Manual Record Level Adjustment

- CD Synchronous Recording (Digi-Link III Connection)
- AMS Automatic Music Search (20 Program)
- Blank Skip Function
- Headphone Jack
- Automatic MPX Filter
- Wow and Flutter (WRMS): 0.08%
- Frequency Response: 20-18,000Hz
- S/N Ratio (Dolby B): 63dB
- Convenient Digi-Link III System Remote Control - Dimension (WxHxD): 440 x 125 x 250mm
- Weight: 4.0Kg





D 480

Dual Auto Reverse Cassette Deck with Full Logic Transport, Dolby B/C Noise Reduction and HX Pro Head Room Extension

digilink III DOLBY B/C NR HX-PRO

Key Features

- Full Logic Tape Transport Mechanism
- Auto Reverse Mode with 5 Options:
- Side A, Stop after Playing
- Side A+B, Stop after Playing
- Side A+B, Auto Reverse Continous Play
- Side A+B, Both Drives, Auto Reverse Play, Stop after Playing
- Side A+B, Both Drives, Auto Reverse Continuous (Endless) Play
- Auto Reverse Recordings (Drives A)
- Dolby B+C Noise Reduction Systems
- **HX-Pro Dynamic Headroom Expansion**
- Normal and High Speed Dubbing
- Automatic Tape Selector (Normal, Chrome and Metal Tape)
- Real Time Tape Counter
- Memory Stop Function

- Peak-Reading FL Record Level Meter (8 x 2 Segments) for Precise Manual Record Level Adjustment
- Record Level and Record Balance Control
- CD Synchronous Recording (Digi-Link III Connection)
- AMS Automatic Music Search (Up to 20 Tracks)
- Blank Skip Function
- Headphone Jack
- Automatic MPX Filter
- Wow and Flutter (WRMS): 0.08%
- Frequency Response: 20-19,000Hz
- S/N Ratio (Dolby C): 76dB
- Convenient Digi-Link III System Remote Control
- All-Metal Cabinet with Aluminum Front Panel
- Dimension (WxHxD): 440 x 125 x 245mm
- Weight: 5.8Kg

TX 5090RDS

FM/AM Tuner with RDS

digilinkm OR.D.S

Key Features

- Digital Quartz PLL Synthesizer Tuner
- FM & AM Band
- Dual Gate MOS FET Front End
- Automatic and Manual Tuning
- 30 Presets, Random Access
- Recall by Numeric (10-key) Buttons
- Preset Scan Function
- RDS Functions: PS, PTY, RT, TP, TA and CT
- Alpha-Numeric Fluorescent Display
- Convenient Digi-Link III System Remote Control
- Dimension (WxHxD): 440 x 80 x 250mm
- Weight: 2.8Kg





AX 5103

Integrated Stereo Amplifier with High power & High Quality



Key Features

- 100 Watts x 2 @ 8 Ohm, 20Hz~20kHz, 0.3% THD
- Discrete Amplifier Stage (DAS)
- 5 Audio Inputs (Phono, Tuner, CD, Tape1/MD, Tape2 Mon)
- Tone Control
- Balance Control
- Tone Defeat & Loudness

- Speaker A/B Selector with LED Indicator
- Headphone Output Jack
- Motorized Volume Control
- Full Remote Control with Unified Remote Commander
- Digi-Link III Remote Control for Other Sherwood Components
- Dimension (WxHxD): 440 x 145 x 360mm
- Weight: 9.0Kg

RX 5700 I High Performance AM∕FM Stereo Receiver

digilink m DAS OR.D.S






Key Features

- 100W + 100W High Power Output
- AM/FM Stereo Tuner
- Direct Accessible Input Selector
- Unified Remote Control
- Speaker A/B Selector
- Discrete Amplifier Stage (DAS)
- 30-Station Tuner Presets (Random)
- 5 Audio Input & 2 Output (including Tuning)
- Phono Input

- Tone Direct
- Bass/Treble Control
- Balance Control
- Headphone Output Jack
- Speaker A/B Off Selector - Digital-Link III Remote Control for Other Sherwood
- Components - Dimension (WxHxD): 440 x 138 x 332mm
- Weight: 9.5Kg







Meditec Trader Pte Ltd
627 Aljunied Road
#03-00 Pacific Building
Singapore 389837
Tel : +65 6842 1121
Fax : +65 6842 0060
E-mail : meditec@singnet.com.sg
Website : www.audio.com.sg

Tashi Electronics Sdn. Bhd.
No. 8, Jalan Permas 10/6,
Bandar Baru Permas Jaya,
81750 Johor Bahru, Johor, Malaysia.
Tel : 07-386 3323
Fax : 07-386 3623

Manufacturer: Sherwood America Inc 13101 Moore St. Cerritos CA 90703 **USA**

website: www.sherwoodusa.com